

Failed Closed IHH

State of Maine Health Inspection Report

Establishment Name GRID-IRON	As Authorized by 22 MRSA § 2496	Critical Violations	0	Date	6/30/2016
		Non-Critical Violations	6	Time In	10:00 AM
		Certified Food Protection Manager	Y	Time Out	10:45 AM

License Expiry Date/EST. ID# 5/10/2017 / 18667	Address 1576 LISBON ST	City LEWISTON	Zip Code 04240	Telephone 207-777-6353
License Type MUN - EATING PLACE	Owner Name MARTIN, SCHAN	Purpose of Inspection Regular	License Posted	Risk Category

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Circle designated compliance status (IN, OUT, N/O, N/A) for each numbered item
 IN=in compliance OUT=not in compliance N/O=not observed N/A=not applicable
 Mark "X" in appropriate box for COS and/or R
 COS=corrected on-site during inspection R=repeat violation

Compliance Status			COS	R	Compliance Status		COS	R
Supervision					Potentially Hazardous Food Time/Temperature			
1	IN	PIC present, demonstrates knowledge, and performs duties			16	IN	Proper cooking time & temperatures	
Employee Health					17	IN	Proper reheating procedures for hot holding	
2	IN	Management awareness; policy present			18	IN	Proper cooling time & temperatures	
3	IN	Proper use of reporting, restriction & exclusion			19	IN	Proper hot holding temperatures	
Good Hygienic Practices					20	IN	Proper cold holding temperatures	
4	IN	Proper eating, tasting, drinking, or tobacco use			21	IN	Proper date marking & disposition	
5	IN	No discharge from eyes, nose, and mouth			22	IN	Time as a public health control: procedures & record	
Preventing Contamination by Hands					Consumer Advisory			
6	IN	Hands clean & properly washed			23	IN	Consumer advisory provided for raw or undercooked foods	
7	IN	No bare hand contact with RTE foods or approved alternate method properly followed			Highly Susceptible Populations			
8	IN	Adequate handwashing facilities supplied & accessible			24	IN	Pasteurized foods used; prohibited foods not offered	
Approved Source					Chemical			
9	IN	Food obtained from approved source			25	IN	Food additives: approved & properly used	
10	IN	Food received at proper temperature			26	IN	Toxic substances properly identified, stored & used	
11	IN	Food in good condition, safe, & unadulterated			Conformance with Approved Procedures			
12	IN	Required records available: shellstock tags parasite destruction			27	IN	Compliance with variance, specialized process, & HACCP plan	
Protection from Contamination					Risk Factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illness or injury.			
13	OUT	Food separated & protected		X				
14	IN	Food-contact surfaces: cleaned and sanitized						
15	IN	Proper disposition of returned, previously served, reconditioned, & unsafe food						

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Mark "X" in box if numbered item is not in compliance Mark "X" in appropriate box for COS and/or R COS=corrected on-site during inspection R=repeat violation

Safe Food and Water			COS	R	Proper Use of Utensils		COS	R
28	IN	Pasteurized eggs used where required			41	IN	In-use utensils: properly stored	
29	IN	Water & ice from approved source			42	X	Utensils, equipment, & linens: properly stored, dried, & handled	
30	IN	Variance obtained for specialized processing methods			43	IN	Single-use & single-service articles: properly stored & used	
Food Temperature Control					44	IN	Gloves used properly	
31	IN	Proper cooling methods used; adequate equipment for temperature control			Utensils, Equipment and Vending			
32	IN	Plant food properly cooked for hot holding			45	IN	Food & non-food contact surfaces cleanable, properly designed, constructed, & used	
33	IN	Approved thawing methods used			46	IN	Warewashing facilities: installed, maintained, & used; test strips	
34	IN	Thermometers provided and accurate			47	X	Non-food contact surfaces clean	
Food Identification					Physical Facilities			
35	IN	Food properly labeled; original container			48	IN	Hot & cold water available; adequate pressure	
Prevention of Food Contamination					49	IN	Plumbing installed; proper backflow devices	
36	IN	Insects, rodents, & animals not present			50	IN	Sewage & waste water properly disposed	
37	IN	Contamination prevented during food preparation, storage & display			51	IN	Toilet facilities: properly constructed, supplied, & cleaned	
38	IN	Personal cleanliness			52	IN	Garbage & refuse properly disposed; facilities maintained	
39	IN	Wiping cloths: properly used & stored			53	X	Physical facilities installed, maintained, & clean	
40	IN	Washing fruits & vegetables			54	IN	Adequate ventilation & lighting; designated areas used	

Person in Charge (Signature)

Date: 6/30/2016

Health Inspector (Signature)

Follow-up: YES NO Date of Follow-up:

State of Maine Health Inspection Report

Establishment Name GRID-IRON		<i>As Authorized by 22 MRSA § 2496</i>		Date 6/30/2016
License Expiry Date/EST. ID# 5/10/2017 / 18667	Address 1576 LISBON ST	City / State LEWISTON / ME	Zip Code 04240	Telephone 207-777-6353

Temperature Observations

Location	Temperature	Notes
cooler	40	
coleslaw	41	
hot water	110 plus	
sandwich bar	35	
cooler	38	

Person in Charge (Signature)

Date: 6/30/2016

Health Inspector (Signature)

State of Maine Health Inspection Report

Page 3 of 5

Establishment Name

GRID-IRON

Date 6/30/2016

License Expiry Date/EST. ID#
5/10/2017 / 18667

Address
1576 LISBON ST

City / State
LEWISTON ME

Zip Code
04240

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 and 8-406.11 of the Food Code

13: 3-302.11.(A).(1).(A): N: Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.

INSPECTOR NOTES: raw burger above cooked pasta-corrected on site

42: 4-901.11.(A): N: Equipment and utensils not being dried properly.

INSPECTOR NOTES: air dry glasses

47: 4-602.13: N: Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.

INSPECTOR NOTES: clean beer cooler-door seal

53: 6-101.11.(A): N: Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.

INSPECTOR NOTES: paint doors kitchen

53: 6-201.11: N: Floors, walls, and ceilings are not smooth and easily cleanable.

INSPECTOR NOTES: install flooring edges of walls bar area

53: 6-501.12: N: The physical facilities are not clean.

INSPECTOR NOTES: clean floor edges kitchen area

Person in Charge (Signature)

Date: 6/30/2016

Health Inspector (Signature)

State of Maine Health Inspection Report

Page 4 of 5

Establishment Name

GRID-IRON

Date 6/30/2016

License Expiry Date/EST. ID#
5/10/2017 / 18667

Address
1576 LISBON ST

City / State
LEWISTON

ME

Zip Code
04240

Inspection Notes

DHHS Blurb attached: Certified Food Protection Manager

Unless directed otherwise, all Eating Establishments are required to submit a copy of their Certified Food Protection Manager (CFPM) certificate. A CFPM must be hired within 90 days of a new eating establishment opening or when a CFPM leaves employment. For a list of CFPM courses and trainers go to <http://www.maine.gov/healthinspection/training.htm>

Please provide a copy of this certification(s) to your inspector [Susan Reny] by emailing to [sreny@lewistonmaine.gov] or faxing to 207-795-5071. A copy may also be sent to Carol Gott, Health Inspection Program, 286 Water St. 3rd Floor, Augusta, ME 04333 or carol.gott@maine.gov.

Please include the name of your establishment and the establishment ID# with your certification(s).

2013 Maine Food Code Adoption

The Maine Food Code was adopted in October of 2013. Please refer to our website for a copy, <http://www.maine.gov/healthinspection>. Following are a few of the major changes:

- No Bare Hand Contact with Ready-To-Eat Food. Handlers are required to use gloves, utensils, deli papers, etc., to avoid bare hand contact with ready-to-eat food;
- Establishments must have clean-up procedures for employees to follow following vomiting and diarrheal events;
- Responsibilities of the person in charge for ill employees (exclusions and restrictions); and,
- Date marking of Ready-to-eat potentially hazardous foods.

Violation Correction Timeframe

Critical violations should be corrected on site, but in any event, within 10 days. The licensee must contact the inspector when the critical violation has been addressed at 207-(513-3125 Ext 3224) or email (sreny@lewistonmaine.gov). Non-critical violations must be corrected within 30 days. Failure to satisfactorily correct these violations before the follow-up inspection may result in enforcement proceedings by the Department to include fines and penalties, which are outlined in Sections 7, 8 and 9 of the Rules Relating to the Administration and Enforcement of Establishments Licensed by the Health Inspection Program available at <http://www.maine.gov/healthinspection>. License renewals can be denied if violations are not corrected within the noted timeframes.

C= Critical violation and NC= Non-critical violation

“Critical violation” means a provision of the Food Code that, if in non-compliance, is more likely than other violations to contribute to food contamination, illness or environmental health hazard.

Additional Inspection Fee

License fees provide for two inspections per year. When additional inspections are required, the Department may charge an additional \$100 fee to cover the costs of each additional inspection or visit.

Document Retention/Posting

Pursuant to the Maine Food Code, the establishment's current license must be displayed. In addition, a sign or placard must be posted in a conspicuous area notifying consumers that a copy of the most recent inspection report is available upon request. CFPM certificates must be posted in a conspicuous area and must be available to the Department upon request.

15 games total

CFPM Schan Martin exp 4/2/2018 20844362

Note: dishwashing area being renovated this year new equipment being installed.

Person in Charge (Signature)

Date: 6/30/2016

Health Inspector (Signature)

State of Maine Health Inspection Report

Establishment Name

GRID-IRON

Date 6/30/2016

License Expiry Date/EST. ID#
5/10/2017 / 18667

Address
1576 LISBON ST

City / State
LEWISTON

ME

Zip Code
04240

Inspection Notes

Person in Charge (Signature)

Date: 6/30/2016

Health Inspector (Signature)

